



CINTA DE JUNTAS PLACOTHERM®

Tapes

Product Description

Placotherm® tape is a self-adhesive fibreglass tape that allows dry joint treatment, reducing the installation times of Placotherm Integra systems. This product has been and is included as an element of the system in the technical suitability documents DAU 20/115C and 20/123B.

Application

Placotherm Integra lightweight façade solutions with SATE finish, ventilated façade and mortar finish.

Storage and conservation

Store under cover, protected from sunlight and rain. Between +5°C and +35°C. 24 months in its original packaging.

Conditions of installation

Before installing the tape, make sure that the joint is dry and free of oil, grease and dust. Remove the protective film, place it in the correct position and press it firmly onto the surface. The tape can be installed at low temperatures, down to -10°C. However, there must be no separating film, e.g. moisture, ice or frost, on the surface on which the tape is installed. Installation is permitted up to +45°C on Glasroc®.



Handling

Remember that you can find information about how to handle, use and unload our products on our website.

CINTA DE JUNTAS PLACOTHERM®

Characteristic

Value

Fire Reaction (EN Standard)

E

Total water absorption

W1

This information and, in particular, the recommendations relating to the application and use of the product, are based on the current technical knowledge and experience of SAINT-GOBAIN PLACO IBERICA S.A. of its products, which must be correctly stored, handled and installed within their useful life. The terms of the General Conditions of Sale and Supply of Saint-Gobain Placo S.A. apply to all orders. SAINT-GOBAIN PLACO IBERICA S.A. reserves the right to change the technical specifications of the product without prior notice. It is the user's responsibility to find out and use the latest and updated version of the product data sheets, a copy of which will be sent to those who request it. The content of this document is not exhaustive. Saint-Gobain Placo S.A. accepts no responsibility in the event of the use of our products in a way that does not conform to the instructions supplied by Saint-Gobain Placo S.A. Within the legal limits, Saint-Gobain Placo S.A. will not be responsible for loss of profit or indirect damages.

